Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 21, September 25, 2014

For the Period September 16 to 22, 2014

Warm and relatively dry weather allowed harvest to significantly advance this past week, according to Saskatchewan Agriculture's weekly Crop Report. Forty-three per cent of the crop is now in the bin and 37 per cent is swathed or ready to straight-cut. The five-year average (2009-2013) for this time of year is 58 per cent combined and 25 per cent swathed or ready to straight-cut.

One year ago
Seventy-one per cent of the 2013 crop had been combined. Light frost was received but damage was minimal.
Follow the 2014 Crop Report on Twitter @SKAgriculture

The southwestern region is the most advanced, where 54 per cent of the crop is now combined. Forty-seven per cent is combined in the northwestern region; 46 per cent in the west-central region; 45 per cent in the northeastern region; 41 per cent in the southeastern region; and 28 per cent in the east-central region.

While overall yields are reported to be about average, they vary from region to region depending on field moisture and disease received throughout the year. Average hard red spring wheat yields are reported as 39 bushels per acre, durum 37 bushels per acre, barley 58 bushels per acre, canola 32 bushels per acre and field peas 32 bushels per acre.

Saskatchewan Harvest September 22 % combined	
Winter wheat*	86
Fall rye**	92
Spring wheat	31
Durum***	44
Oats****	23
Barley	40
Canaryseed	11
Flax	4
Canola	45
Mustard	52
Soybeans	1
Lentils	77
Peas	93
Chickpeas	23

*includes seven per cent 'other'
**includes 16 per cent 'other'
***includes 10 per cent 'other'
****includes three per cent 'other'

Harvest Progress in SK Per cent Combined All Crops	
Sept 22/14	43
5 year avg. (2009-2013)	58
Sept 23/13	71
Sept 17/12	74
Sept 19/11	76
Sept 20/10	18
Sept 21/09	50
10 year avg. (2004-2013)	57

Quality remains a concern for many producers as moisture, disease and frost have damaged crops. Strong winds and waterfowl also caused some damage this week.

Rainfall this week ranged from nil to 18 mm. Topsoil moisture conditions on cropland are rated as 14 per cent surplus, 82 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 87 per cent adequate and six per cent short.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Pasture conditions across the province are rated as 20 per cent excellent, 64 per cent good, 14 per cent fair and two per cent poor. Ninety-six per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy with harvest operations, aerating tough grain and hauling bales.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Harvest is progressing nicely in the southeast thanks to warm weather. Forty-one per cent of the crop is now harvested while 32 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 64 per cent combined. Harvest progress ranges from 61 per cent combined in Crop District 2A to 24 per cent in 1B. Heavy morning and evening dews have delayed producers in some areas.

Rainfall ranged from small amounts to 15 mm in the Moose Jaw area. Since April 1, the Moosomin area has received 895 mm of rain, the greatest amount for both the region and the province. Topsoil moisture conditions on cropland are rated as 29 per cent surplus, 70 per cent adequate and one per cent short. Hay land and pasture moisture is rated as 16 per cent surplus, 82 per cent adequate and two per cent short. Many fields are very wet and equipment is getting stuck multiple times a day.

Crop yields vary across the region but overall are reported to be about average. Excess moisture and disease have damaged many crops and quality remains a concern. High fusarium levels are common in cereal crops, as are sprouting and bleaching in cereals and pulses. There are many reports that frost damage is now evident in some late seeded crops such as canola. Strong winds blew swaths around and have shelled out some standing crops. There are also reports of waterfowl such as geese and cranes damaging crops.

Pasture conditions are rated as 35 per cent excellent, 57 per cent good, seven per cent fair and one per cent poor. One hundred per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy harvesting as weather permits, hauling bales and cleaning corrals.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Great strides were made this past week as 54 per cent of the crop is now combined, up from 31 per cent last week. An additional 24 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 72 per cent combined.

Harvest progress ranges from 62 per cent in Crop District 3AN to 46 per cent in 4B. Producers have been delayed by heavy dews in both the morning and the evening. Crop reporters have indicated that harvest will be wrapped up for some producers in the next week if the warm and dry weather continues.

The Big Beaver area recorded the greatest amount of rainfall for the week (17 mm) while the Cadillac area has received the greatest amount of rainfall since April 1 (591 mm). Topsoil moisture conditions on cropland are rated as 13 per cent surplus, 85 per cent adequate and two per cent short. Hay land and pasture moisture is rated as one per cent surplus, 97 per cent adequate and two per cent short.

Quality remains a concern in many pulse and cereal crops due to moisture and higher than normal disease levels. Sprouting and bleaching is also common in many of the pulse and cereal crops. There are many reports that frost damage is now evident in some late seeded crops such as canola and wheat. Crop yields are average overall but greatly vary across the region.

Pasture conditions are rated as 25 per cent excellent, 62 per cent good, 11 per cent fair and two per cent poor. Ninety-eight per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy harvesting, hauling bales and bringing cattle home.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Good progress was made this past week as the east-central region now has 28 per cent of the crop combined, up from 11 per cent last week. Forty-four per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 52 per cent combined. Harvest progress ranges from 36 per cent in Crop District 6A to 22 per cent in 5A. Although harvest is well underway in the region, several more weeks of warm and dry weather is needed for most producers to finish. Heavy dews and slow dry down is delaying many producers.

Rainfall this past week ranged from trace amounts to 10 mm in the Jedburgh area. Since April 1, the Foam Lake area has received the greatest amount of rainfall for the region at 730 mm. Topsoil moisture conditions on cropland are rated as 21 per cent surplus, 77 per cent adequate and two per cent short. Hay land and pasture moisture is rated as 18 per cent surplus, 78 per cent adequate and four per cent short. Many fields remain wet and equipment is getting stuck multiple times a day.

Many crops are coming off tough and are being aerated in the bin. Quality is a concern across the region as many areas are reporting high levels of sprouting, bleaching, fusarium and frost damage. Geese have damaged swaths while strong winds have blown canola swaths around. Reported yields are about average, although some crops are yielding well below expectations.

Pasture conditions are rated as 21 per cent excellent, 62 per cent good, 16 per cent fair and one per cent poor. Ninety-nine per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy harvesting as weather allows, hauling bales and moving cattle.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Harvest progress nearly doubled from last week in the region. Forty-six per cent of the crop is now in the bin, up from 24 per cent last week. An additional 37 per cent is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 55 per cent. Harvest progress ranges from 47 per cent in Crop District 6B to 46 per cent in 7B. Although harvest is advancing quickly, periodic showers and heavy dews are delaying time in the field.

Rain this week ranged from trace amounts to 18 mm in the Smiley area. Since April 1, the Sonningdale area has received 435 mm of rain, the greatest for the region. Topsoil moisture conditions on cropland are rated as two per cent surplus, 85 per cent adequate and 13 per cent short. Hay and pasture land topsoil moisture is rated as one per cent surplus, 80 per cent adequate and 19 per cent short.

Although crop yields are about average overall, they vary greatly in the region depending on moisture received throughout the year. There are many reports of frost damage that is now evident in some later seeded crops and high levels of fusarium in cereals. Many pulse and cereal crops have sprouted or bleached due to the weather. There are also reports of canola heating in bins and many producers are aerating tough grain.

Pasture conditions are rated as seven per cent excellent, 70 per cent good, 19 per cent fair and four per cent poor. Ninety-nine per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy harvesting, hauling bales and aerating tough grain.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Good progress was made again this week as 45 per cent of the crop is now combined, up from 27 per cent last week. An additional 49 per cent of the crop is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 49 per cent. Harvest progress ranges from 50 per cent in Crop District 8A to 40 per cent in 8B. Warm and dry weather has allowed producers to combine throughout the day, although many crops are coming off tough and are being aerated.

The Arborfield area reported 2 mm this past week while the Humboldt area has reported 464 mm of rainfall since April 1, the greatest for the region. Topsoil moisture conditions on cropland are rated as two per cent surplus and 98 per cent adequate. Hay and pasture land topsoil moisture is rated as one per cent surplus, 92 per cent adequate and seven per cent short.

Reported yields have been average overall and quality remains a concern in much of the region. Sprouting and bleaching is common in the region, as is fusarium damage. Swaths are slow to dry down and there are reports of higher than expected green seed in some canola crops. Geese and other waterfowl have also caused some damage this week.

Pasture conditions are rated as seven per cent excellent, 72 per cent good and 21 per cent fair. Ninety-four per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy harvesting, moving cattle and hauling bales.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Warm and dry weather has allowed for harvest progress to more than double in the northwestern region. Forty-seven per cent of the crop is now in the bin, up from 19 per cent last week. An additional 45 per cent of the crop is swathed or ready to straight-cut. The five-year (2009-2013) average for this time of year is 43 per cent combined. Harvest progress ranges from 49 per cent combined in Crop District 9B to 46 per cent in 9AW.

The Neilburg area received the greatest amount of rain this past week (4 mm) while the North Battleford area has received 519 mm since April 1. Topsoil moisture conditions on cropland are rated as four per cent surplus, 88 per cent adequate and eight per cent short. Hay and pasture land topsoil moisture is rated as two per cent surplus, 85 per cent adequate and 13 per cent short.

Quality remains a concern in much of the region as many pulse and cereal crops have sprouted and bleached. There are also higher than normal levels of fusarium in some wheat crops. Strong winds blew canola swaths around and shelled out some standing crops. Overall crop yields are about average but vary in the region depending on moisture received during the growing season.

Pasture conditions are rated as two per cent excellent, 71 per cent good, 21 per cent fair and six per cent poor. One hundred per cent of livestock producers have indicated that they have adequate supplies of water for their livestock.

Farmers are busy harvesting, moving cattle and aerating tough grain.

Saskatchewan Harvest Progress - September 22, 2014

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	6	1	12	81	0
southwest	3	0	6	73	18
east central	0	2	5	88	5
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	5	1	8	79	7
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	3	24	13	57	3
southwest	1	1	0	66	32
east central	0	1	1	98	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	0	0	100	0
provincial	1	5	2	76	16
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	30	15	34	21	
southwest	23	8	31	38	
east central	37	26	17	20	
west central	18	10	47	25	
northeast	6	14	31	49	
northwest	9	12	37	42	
provincial	22	15	32	31	

Durum	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	42	5	22	31	0
southwest	12	4	27	40	17
east central	57	27	9	7	0
west central	39	10	23	27	1
northeast	40	5	15	30	10
northwest	N/A	N/A	N/A	N/A	N/A
provincial	26	6	24	34	10
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	27	12	23	38	
southwest	19	4	21	56	
east central	32	29	11	28	
west central	27	17	23	33	
northeast	2	19	18	61	
northwest	11	31	18	40	
provincial	21	20	19	40	
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	52	15	6	26	1
southwest	29	6	17	39	9
east central	56	25	4	13	2
west central	42	16	13	16	13
northeast	17	22	37	24	0
northwest	27	23	26	15	9
provincial	37	21	19	19	4

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	73	1	7	19	
southwest	73	0	19	8	
east central	95	5	0	0	
west central	64	6	22	8	
northeast	65	2	12	21	
northwest	100	0	0	0	
provincial	71	3	15	11	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	80	2	10	8	
southwest	58	0	39	3	
east central	91	6	1	2	
west central	74	8	13	5	
northeast	68	20	11	1	
northwest	100	0	0	0	
provincial	78	4	14	4	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	6	37	8	49	
southwest	15	24	5	56	
east central	8	58	2	32	
west central	3	37	3	57	
northeast	0	52	5	43	
northwest	2	47	2	49	
provincial	5	46	4	45	

Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	21	5	14	60	
southwest	9	3	26	62	
east central	41	24	7	28	
west central	28	19	12	41	
northeast	0	52	8	40	
northwest	N/A	N/A	NA	N/A	
provincial	20	10	18	52	
Soybeans	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	100	0	0	0	
southwest	91	0	9	0	
east central	100	0	0	0	
west central	100	0	0	0	
northeast	90	0	0	10	
northwest	N/A	N/A	N/A	N/A	
provincial	98	0	1	1	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	4	1	2	93	
southwest	4	0	2	94	
east central	5	2	5	88	
west central	2	0	6	92	
northeast	1	0	2	97	
northwest	1	0	0	99	
provincial	3	1	3	93	

Lentils	% Standing	% in swath	% ready to straight combine	% combined	
southeast	5	1	12	82	
southwest	8	1	8	83	
east central	18	3	20	59	
west central	12	2	17	69	
northeast	50	0	0	50	
northwest	0	0	0	100	
provincial	10	1	12	77	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	36	45	0	19	
southwest	54	0	23	23	
east central	N/A	N/A	N/A	N/A	
west central	50	0	25	25	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	52	6	19	23	

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 22, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 24, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 16 to 22, 2014

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	6	387
	3	Enniskillen	3	333
	33	Moose Creek	N/A	411
	34	Browning	10	443
	61	Antler	N/A	575
	63	Moose Mountain	5	561
	64	Brock	8	457
	65	Tecumseh	6	605
1B	91	Maryfield	6	639
	122	Martin	9	895
	123	Silverwood	3	485
	124	Kingsley	4	493
	125 A	Chester	4	527
	125 B	Chester	7	546
	151 A	Rocanville	6	593
	151 B	Rocanville	N/A	534
	154	Elcapo	N/A	532
	155 A	Wolseley	8	436
	155 B	Wolseley	N/A	378
	67	Weyburn	N/A	378
2A	68	Brokenshell	2	366
	97	Wellington	8	344
2B	127 A	Francis	7	473
	127 B	Francis	12.5	404.6
	129	Bratt's Lake	6	358
	131 A	Baildon	5	467
	131 B	Baildon	15	637.2
	156 A	Indian Head	2	506.5
	156 B	Indian Head	11	588.5
	157	South Qu'Appelle	5	577
	160 A	Pense	8	446
	160 B	Pense	N/A	75
	161	Moose Jaw	8	605
	162	Caron	12	572
	191	Marquis	N/A	539
3ASE	38 A	Laurier	4	497.9
	38 B	Laurier	2	418
	39 A	The Gap	N/A	353
	39 B	The Gap	1	437
3ASW	10	Happy Valley	17	403
	12	Poplar Valley	N/A	402
	40 A	Bengough	1	359
	40 B	Bengough	NIL	502
	42	Willow Bunch	N/A	375
	43	Old Post	NIL	356
	70	Key West	N/A	157.6
	73 A	Stonehenge	3.8	404.9
	73 B	Stonehenge	4	460
	74	Wood River	N/A	200.5
3AN	101	Terrell	2	406
	102	Lake Johnston	N/A	337.9
	103	Sutton	2	395
	132 A	Hillsborough	7.5	402.5
	132 B	Hillsborough	10	494
	134	Shamrock	N/A	367
	193 A	Eyebrow	5	478
	193 B	Eyebrow	7	504
	224	Maple Bush	N/A	382
3BS	17	Val Marie	8	591
	75 A	Pinto Creek	NIL	390
	75 B	Pinto Creek	N/A	347
	76	Auvergne	NIL	386
	77	Wise Creek	3	540
	78	Grassy Creek	NIL	450
	105	Glenbain	5	385
	106	Whiska Creek	6	535
	107	Lac Pelletier	N/A	294
	108	Bone Creek	NIL	410
3BN	137	Swift Current	N/A	41.59
	138 A	Webb	1	417.5
	138 B	Webb	5	425.5
	166	Excelsior	2	374
	167	Sask. Landing	7.2	453.7
	168 A	Riverside	NIL	407
	168 B	Riverside	NIL	354.5
	226	Victory	7	352
	228	Lacadena	5	335
	257	Monet	14	258.6

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	N/A	327
	51	Reno	NIL	298.1
	79	Arlington	NIL	455
	109 A	Carmichael	NIL	396
	109 B	Carmichael	N/A	269
	110	Piapot	NIL	332
	111	Maple Creek	N/A	253.5
4B	139	Gull Lake	N/A	386
	141	Big Stick	NIL	289
	142	Enterprise	NIL	358
	169	Pittville	N/A	162
	231	Happyland	N/A	298
5A	183 A	Fertile Belt	4	486
	183 B	Fertile Belt	6	528
	186	Abernethy	4	524
	211	Churchbridge	6	484
	213	Saltcoats	5	524
	216	Tullymet	N/A	387.5
	241	Calder	7	445
	243	Wallace	6	456
	244	Orkney	8	568
	245 A	Garry	N/A	452
	245 B	Garry	10	544
	245 C	Garry	5.5	575
	246	Ituna Bon Accord	3	526
	247	Kellross	2	496
	248	Touchwood	N/A	497
5B	271	Cote	5	482
	273	Sliding Hills	N/A	651
	277	Emerald	5	730
	305	Invermay	2	543
	307	Elfros	4	532
	308 A	Big Quill	2	432
	308 B	Big Quill	3	323
	331	Livingston	5	454
	334	Preeceville	N/A	112
	336	Sasman	3	438
	337	Lakeview	2	419
	338	Lakeside	NIL	473
	366	Kelvington	1	427
	367	Ponass Lake	N/A	468.5
6A	190 A	Dufferin	3	725
	190 B	Dufferin	6	683
	190 C	Dufferin	2	502
	190 D	Dufferin	8	293.5
	219	Longlaketon	N/A	522
	220	Mckillop	NIL	635
	221	Sarnia	8.6	579.4
	222	Craik	2	477
	251	Big Arm	NIL	554
	252	Arm River	NIL	518
	279	Mount Hope	NIL	507
	282	McCraney	N/A	418
	309	Prairie Rose	N/A	578
	310	Usborne	N/A	166.5
	312	Morris	N/A	127
	313	Lost River	N/A	425
	339	Leroy	1.4	529.8
	340	Wolverine	1	409
	341	Viscount	N/A	369
	343 A	Blucher	NIL	357.9
	343 B	Blucher	NIL	210
6B	254	Lorebum	NIL	361
	284	Rudy	1	424
	285	Fertile Valley	4	303
	286	Milden	12	363
	314	Dundurn	3	366
	344	Corman Park	NIL	375
	346	Perdue	N/A	373
	376	Eagle Creek	NIL	422
	403	Rosthern	NIL	339

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	9	424
	288	Pleasant Valley	9	411
	290 A	Kindersley	11	292
	290 B	Kindersley	13	198.3
	290 C	Kindersley	10	276.2
	292	Milton	N/A	333
	317 A	Marriott	N/A	205
	317 B	Marriott	3	355
	318	Mountain View	2	396
	320 A	Oakdale	6	351.1
	320 B	Oakdale	9	382
	321	Prairiedale	18	370
7B	347	Biggar	6	390
	350 A	Mariposa	2.5	312.1
	350 B	Mariposa	N/A	435
	351	Progress	N/A	375
	352	Heart's Hill	N/A	436
	377	Glenside	NIL	435
	378 A	Rosemount	1	309
	378 B	Rosemount	NIL	349
	379	Reford	1	404
	381	Grass Lake	N/A	355
	382	Eye Hill	5	350.3
	409	Buffalo	N/A	335
	410	Round Valley	NIL	369.9
8A	395	Porcupine	NIL	339
	397	Barrier Valley	0.1	409.8
	428	Star City	NIL	435
	456	Arborfield	2	451
	457	Connaught	N/A	380
	486	Moose Range	NIL	330
	487	Nipawin	NIL	262
8B	369	St. Peter	N/A	397
	370 A	Humboldt	2	464
	370 B	Humboldt	NIL	463
	371	Bayne	N/A	405
	372	Grant	NIL	414.1
	400	Three Lakes	N/A	500
	402	Fish Creek	NIL	417
	429	Flett's Springs	NIL	373
	459	Kinistino	N/A	413
	460	Birch Hills	NIL	408.8
9AE	488	Torch River	NIL	360
	491	Buckland	N/A	483
9AW	406	Mayfield	NIL	358
	435	Redberry	NIL	490
	436	Douglas	NIL	410
	463	Duck Lake	NIL	472.9
	467 A	Round Hill	NIL	519
9B	467 B	Round Hill	NIL	320
	438	Battle River	NIL	302
	440	Hillsdale	4	404
	442	Manitou Lake	0.3	311.4
	498 A	Parkdale	NIL	381
	498 B	Parkdale	NIL	302
	499	Mervin	NIL	246
	501 A	Frenchman Butte	NIL	353
	501 B	Frenchman Butte	NIL	294
	501 C	Frenchman Butte	N/A	361
	502	Britannia	NIL	278.5
	561	Loon Lake	NIL	352
	588 A	Meadow Lake	NIL	363
	588 B	Meadow Lake	1	429
	588 C	Meadow Lake	NIL	413
	588 D	Meadow Lake	N/A	389.2
	622	Beaver River	N/A	302.7

Municipality No: A, B, C and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2014
To: September 22, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 24, 2014

© 2014 Government of Saskatchewan

Cumulative Rainfall

From: April 1, 2014
To: September 22, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 24, 2014

© 2014 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 23, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 24, 2014

© 2014 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 23, 2014



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 24, 2014

© 2014 Government of Saskatchewan